


XIAOMI Smart Temperature and Humidity
Monitor 3 Mini User Manual




Read this manual carefully before use, and retain it for future reference.

Product Overview

Front



Rear



Notes:

- 1 Do not obstruct the ventilation holes when installing or using the monitor.
- 2 Button: It is used for Bluetooth connection and resetting the monitor.
- 3 Remove the battery insulation film when using the monitor for the first time.
- 4 The LCD screen may show water ripples due to static electricity or external pressure, but this is not an error. It will go back to normal after a period of rest.

Illustrations of product, accessories, and user interface in the user manual are for reference purposes only. Actual product and functions may vary due to product enhancements.

Connecting with the Xiaomi Home App

This product works with the Xiaomi Home app. Control your device with Xiaomi Home app.

Scan the QR code to download and install the app. You will be directed to the connection setup page if the app is installed already. Or search for "Xiaomi Home" in the app store to download and install it.

Open the Xiaomi Home app, tap "+" on the upper right, and then follow the instructions to add your device.



F9B6E7F1

Notes: If the monitor is not added within 30 minutes after being turned on for the first time, reset it or re-install the battery and turn it on again before adding it.

The version of the app might have been updated, please follow the instructions based on the current app version.

Smart Scenes

Connect the monitor to the Xiaomi Home app. On the homepage of the monitor plug-in, tap the icon " " in the upper right corner, then select "Automation". Follow the on-screen instructions to set up smart scenes with other smart devices.

Note: Smart scenes are compatible only with the Xiaomi Home devices supporting the Bluetooth gateway function. Please contact customer service for more information.


How to Install

Placement: Place the monitor on the surface of a platform such as a table or a bookshelf.

Hanging: Remove the release liner from one side of the adhesive sticker and stick it in the adhesive area on the back of the monitor. Then, remove the release liner on the other side and stick the monitor in the desired place on a wall or other smooth surface.

Notes:

1. Before hanging the monitor, select a position with a suitable visual angle and height. It is recommended to install it no higher than 2 meters;
2. Stick to surfaces suitable for double-sided adhesive use. It is recommended not to stick the monitor to dusty (like plasterboard or concrete) or uneven surfaces to prevent monitor damage due to falling;
3. Press the monitor for about 10 seconds when sticking to complete installation.



Screen Display

Comfort level icon description

Temperature Humidity	Below 19°C	Between 19°C and 27°C	Above 27°C
Below 20%	(-^)	(-^)	(-^)
Between 20% and 85%	(-^)	(^_ ^)	(-^)
Above 85%	(-^)	(-^)	(-^)

(^_ ^) indicates status of comfort;

(-^) indicates status of discomfort.

Low battery notification


The display of this icon "🔋" at the top of the screen indicates a low battery level. Replace the battery.

Button Functions

Operation	Status
Press button	1. Confirm binding to the monitor 2. Enable Bluetooth broadcast
Press and hold button for approx. 7 seconds	Restore factory settings

Battery Replacement

Remove the battery cover from the cover opening at the bottom of the monitor. Remove the depleted battery and install a CR2450 coin battery with the positive (+) side facing upwards, then securely reinstall the cover.



Daily Care & Maintenance


- Please avoid water ingress into the monitor during cleaning.
- Dirt on the monitor surface can be wiped clean using a damp soft cloth with some neutral detergent.

Precautions

- The monitor is not waterproof; do not submerge its ventilation holes in water.
- Do not remove the monitor from a wall with force if it is attached with the adhesive sticker, so as to avoid damage to the wall or the monitor.
- The monitor is not suitable for use in environments with temperatures below 0°C.
- The provided battery is for trial use only, possibly unable to provide the same battery life as the standard new battery.
- Use the specified battery model for replacement and dispose of the used battery according to relevant national regulations.

- This product is intended for data reference to promote healthy living and should not be used as a measuring tool.

Troubleshooting

Errors	Possible causes	Solutions
The screen displays a low battery icon "  " or no content.	The battery is depleted.	Replace the battery.
The screen displays no content.	The battery is installed incorrectly.	Reinstall the battery correctly.
The screen displays " H ".	Ambient temperature exceeds 60°C.	Place the monitor in an environment within its temperature measurement range.
The screen displays " L ".	Ambient temperature is below -9.9°C.	
The screen exhibits water ripples.	External pressure or static electricity	Allow the monitor to rest for a while to return to normal.
Temperature/humidity readings are inaccurate.	The ventilation holes are blocked.	Remove any obstructions.
	Water gets into the ventilation holes.	Dry the monitor in a well-ventilated area or use absorbent paper to wipe it dry.

Specifications

Name: Xiaomi Smart Temperature and Humidity Monitor 3 Mini

Model: MJWSD06MMC

Material: ABS

Item Dimensions: 53 × 45.3 × 13 mm

Net Weight: 30 g

Rated Voltage: 3 V \equiv

Max. Power: 51 mW

Battery Model: CR2450 (Installed)

Wireless Connectivity: Bluetooth Low Energy 5.0

Temperature Measurement Range: 0°C to 60°C

Temperature Display Resolution: 0.1°C

Humidity Measurement Range: 0–99% RH

Humidity Display Resolution: 1% RH

Bluetooth Operation Frequency: 2402–2480 MHz

Bluetooth Maximum Output Power: 13 dBm

The product nameplate is placed on the back of the monitor.

The 8th to the 10th digits in the SN code on the product and the package represent the factory code.

Under normal use of condition, this equipment should be kept a separation distance of at least 20 cm between the antenna and the body of the user.

Note:

The Bluetooth[®] word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Xiaomi Inc. is under license. All product names, trademarks and registered trademarks are property of their respective owners.



Hereby, Xiaomi Communications Co., Ltd. declares that the radio equipment type MJWSD06MMC is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address:

<http://www.mi.com/global/service/support/declaration.html>



All products bearing this symbol are waste electrical and electronic equipment (WEEE as in directive 2012/19/EU) which should not be mixed with unsorted

household waste. Instead, you should protect human health and the environment by handing over your waste equipment to a designated collection point for the recycling of waste electrical and electronic equipment, appointed by the government or local authorities. Correct disposal and recycling will help prevent potential negative consequences to the environment and human health. Please contact the installer or local authorities for more information about the location as well as terms and conditions of such collection points.

The product is in compliance with comply UK PSTI regulations, the full text of declaration of conformity is available at the following internet address:<https://www.mi.com/global/service/support/declaration.html>

Importer:
Beryko s.r.o.
Pod Vinicemi 931/2, 301 00 Plzeň
www.beryko.cz

EU REP.
Xiaomi Technology Netherlands B.V.
Prinses Beatrixlaan 582, 2595BM, The Hague, The Netherlands
contact@support.mi.com

Manufacturer: Xiaomi Communications Co., Ltd.
Address: #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road,
Haidian District, Beijing, 100085, China
For further information, please go to www.mi.com

User Manual Version: V1.0