

PORTAL

GAMING TABLE



Gaming Table ARDOR GAMING Portal

User Manual

Dear Customer,

Thank you for your trust!

Our team fully shares your passion for computer games, which is why we put all our efforts into making your gaming experience unforgettable with our accessories for gamers. Wishing you new victories and the brightest impressions ahead!

Intended Use

The gaming desk is designed to accommodate a computer and gaming peripherals, as well as to provide comfortable conditions for the user.

Specifications

- Model: Portal
- Trademark: ARDOR GAMING
- Type: gaming desk
- Dimensions: 1200 × 600 × 750 mm
- Tabletop thickness: 18 mm
- Maximum load capacity: 75 kg
- Tabletop material: laminated chipboard
- Base material: steel, tempered glass
- Multi-color LED lighting
- Power supply: USB, 5 V = 1.75 A (max.)
- Scope of applications: Domestic

Package Contents

- Desk
- Assembly kit
- User manual

Safety Precautions

- Read this manual carefully before beginning assembly. If you have any questions, contact your local dealer.
- This product is designed for indoor use only.
- Assemble the product strictly in accordance with the supplied instructions. Assembly should only be performed by certified specialists.
- The assembly kit contains small parts that pose a choking hazard if swallowed. These parts must be kept out of the reach of children.
- Periodically check the tightness of the screw connections of the transformation mechanisms and tighten them if necessary.
- Do not exceed the maximum weight capacity.
- Use the product only for its intended purpose.
- During use, avoid getting water or other liquids on parts of the furniture that come into contact with the floor.
- Do not use the product if the USB cable is damaged.

Backlight Control

The desk is equipped with a backlight controller.

- Press and hold the “MODE” button to turn the backlight on/off.
- Press the “MODE” button to switch between backlight modes.
- Press the “COLOR” button to select the backlight color.

Available Backlight Modes


1. Static color (8 colors available: red, green, blue, cyan, yellow, white, pink, orange).
2. “Breathing” (available color modes: red, green, blue, cyan, yellow, white, pink, multicolor).
3. Rainbow.
4. Static multicolor

Controlling the Backlight from an External Device




- Press the “MODE” button twice until the controller’s indicator dims — external controller backlight control mode is enabled.
- Connect the desk to a device equipped with a backlight controller using cable K, included in the package.

Controlling the Backlight of External Devices



- Press the “MODE” button twice until the controller’s indicator starts flashing slowly — backlight control mode for external devices is enabled.
- Connect the desk to backlit devices via an ARGB splitter (not included).





Assembly






3



4



5





6

If the floor is uneven, level the desk by turning the adjustable feet. Use a spirit level (not included) to make sure the desk is level.



CAUTION!

Leveling must be performed by at least two people.



Rules and Conditions for Installation, Storage, Transportation, Sale (Distribution), and Disposal

- The installation and mounting conditions for the product are described in the “Assembly” section of this user manual.
- The product must be stored in its original packaging, on heated premises, both at the manufacturer’s and at the consumer’s sites. The ambient temperature should be between +5 °C and +40 °C, and the relative humidity should not exceed 80% (non-condensing). The storage area must be free from aggressive contaminants (e.g., acid or alkali vapors) that could cause corrosion.
- The product must be transported in a dry place.
- The product requires careful handling. Protect it from exposure to dust, dirt, impact, moisture, fire, and other hazards.
- Sale or distribution of the product must be carried out in accordance with local legislation.
- Upon expiration of the product’s service life, it must not be disposed of with unsorted household waste. Instead, it must be taken to an authorized collection point for electrical and electronic equipment for subsequent recycling and disposal in accordance with federal or local legislation. By ensuring proper disposal of this product, you help conserve natural resources and prevent potential harm to the environment and human health that may result from improper handling. For more detailed information about collection and disposal points for this product, please contact your local municipal authorities or your household waste disposal service.
- If product damage is detected, immediately contact an authorized service center or dispose of the product.

Warranty Information

The manufacturer guarantees the device will function properly throughout the warranty period and be free from defects in materials and assembly. The warranty period commences on the date of purchase and applies to new products only. Warranty service includes free repair or replacement of defective parts that fail during the warranty period, provided the failure is not caused by consumer misuse and the product is operated in accordance with the user manual. Repairs or part replacements shall be performed at authorized service centers.

Warranty Period: 36 months

Service Life: 36 months

For the up-to-date list of authorized service centers, please visit: <https://www.dns-shop.ru/service-center/>

Additional Information

Manufacturer: Zhejiang Purui New Material Co., Ltd.

No.399, Zhenlong Sixth Road, Binhai Economic Development Zone, Cixi, Zhejiang Province, China.

Made in China.

This product meets the requirements of Technical Regulation of the Customs Union TR CU 025/2012 “On the Safety of Furniture Products”.

Product specifications, information and appearance are subject to change without prior notice, for quality improvement of our products.



LEARN MORE
ARDOR-GAMING.COM
VK.COM/ARDOR_GAMING

