

RARE NX30 LITE

CASE



Contents

Intended Use3

Safety Precautions.....3

Package Contents.....3

Specifications3

I/O Panel Diagram4

Motherboard I/O Panel Connection Diagram4

Assembly5

Screw Kit5

Fan Mounting5

AIO Cooler Mounting.....6

Motherboard Installation.....6

Power Supply Unit Installation7

Graphics Card Installation7

SSD (2.5") and HDD (3.5") Installation.....8

Rules and Conditions for Installation, Storage, Transportation, Sale (Distribution), and Disposal8

Warranty Information9

Additional Information9

ARDOR GAMING Rare NX30 Lite Minicase

User Manual

Dear Customer,

Thank you for your trust!

Our team fully shares your passion for computer games, which is why we put all our efforts into making your gaming experience unforgettable with our accessories for gamers. Wishing you new victories and the brightest impressions ahead!

Intended Use

The case is designed to protect PC components from external factors and mechanical damage, as well as to maintain optimal thermal conditions.

Safety Precautions

- Do not make any modifications to the case construction.
- The case is not intended for commercial use.
- The case is not intended for use by children or persons with limited physical, sensory, or mental capabilities, unless they are supervised by a person responsible for their safety. Do not allow children to play with the case.
- Prevent liquid from splashing onto the case. Do not touch the case with wet hands.


Package Contents

- Case
- User manual
- Screw kit


Specifications

- Model: Rare NX30 Lite
- Trademark: ARDOR GAMING
- Form factor: Mini-Tower
- PSU form factor: ATX
- Supported motherboards:
 - mATX
 - ITX
- Top AIO radiator support:
 - 120 mm
 - 240 mm
- Rear AIO radiator support: 120 mm
- Top fan support:
 - 2 × 140 mm
 - 2 × 120 mm
- Rear fan support: 1 × 120 mm
- PSU compartment fan support: 2 × 120 mm
- Front fan support: 3 × 120 mm
- Dust filter support: Front, bottom, and top panels
- Max. CPU cooler height: 174 mm
- Max. GPU length: 300 mm
- I/O port location: Left side
- Front panel material: ABS plastic
- PSU location: Bottom
- Connectors:
 - 3,5 mm audio jack × 1
 - USB 3.2 Gen 1 × 2
- 2.5" drive bays: 2
- 3.5" drive bays: 1
- Expansion slots: 4
- Glass thickness: 3 mm
- Steel thickness: 0.4–0.45 mm
- Dimensions (W × D × H): 220 × 390 × 408 mm
- Net weight: 4.1 kg

I/O Panel Diagram



Motherboard I/O Panel Connection Diagram




Note: For detailed connection instructions, refer to the user manual supplied with your motherboard.

Assembly

Screw Kit


  x14	Motherboard mounting screws	 x8	Extended fan screws
  x7	PSU mounting screws	 x5	Cable ties
  x3	Motherboard standoffs	 x1	System speaker
  x4	HDD mounting screws		

Fan Mounting




- Top fan support:
 - 2 × 140 mm.
 - 2 × 120 mm.
- Rear fan support: 1 × 120 mm.
- PSU compartment fan support: 2 × 120 mm.
- Front fan support: 3 × 120 mm.

AIO Cooler Mounting




Motherboard Installation


1. Based on your motherboard's form factor, install the motherboard standoffs into the corresponding mounting holes in the case.
2. Place the motherboard onto the standoffs.
3. Secure the motherboard with screws.



Power Supply Unit Installation





Install the power supply unit




Insert and tighten the screws

Graphics Card Installation

1. Remove the required number of PCI slot covers for your graphics card.
2. Install the graphics card and secure it with screws.



SSD (2.5") and HDD (3.5") Installation



Rules and Conditions for Installation, Storage, Transportation, Sale (Distribution), and Disposal

- The case requires no assembly or mounting.
- The case must be stored in its original packaging, on heated premises, both at the manufacturer's and at the consumer's sites. The ambient temperature should be between +5 °C and +40 °C, and the relative humidity should not exceed 80% (non-condensing). The storage area must be free from aggressive contaminants (e.g., acid or alkali vapors) that could cause corrosion.
- The case must be transported in a dry place.
- The case requires careful handling. Protect it from exposure to dust, dirt, impact, moisture, fire, and other hazards.
- Sale or distribution of the case must be carried out in accordance with local legislation.
- Disposal of the case must be carried out in accordance with local waste recycling regulations. By ensuring proper disposal of this product, you help prevent potential harm to the environment and human health resulting from uncontrolled waste disposal and promote the sustainable reuse of material resources. For more detailed information on collection and disposal points for this product, please contact your local municipal authorities or household waste collection service.
- If a case malfunction is detected, immediately contact an authorized service center or dispose of the product.

Warranty Information

The manufacturer guarantees the device will function properly throughout the warranty period and be free from defects in materials and assembly. The warranty period commences on the date of purchase and applies to new products only. Warranty service includes free repair or replacement of defective parts that fail during the warranty period, provided the failure is not caused by consumer misuse and the product is operated in accordance with the user manual. Repairs or part replacements shall be performed at authorized service centers.

Warranty Period: 18 months.

Service Life: 24 months.

For the up-to-date list of authorized service centers, please visit: <https://www.dns-shop.ru/service-center/>

Additional Information

Manufacturer: Guangdong PISEN Industrial Co., Ltd.

No. 1 Guangtuo Street, Guangzhou (Qingyuan) Transfer Industrial Park, Shijiao, Qingcheng District, Qingyuan City, Guangdong Province, China.

Made in China.

Product specifications, information and appearance are subject to change without prior notice, for quality improvement of our products.



LEARN MORE:
ARDOR-GAMING.COM
[VK.COM/ARDOR_GAMING](https://vk.com/ardor_gaming)

