

User Manual

LCD/LED Monitor Mount
MB32-W01

DEXP

Contents

Intended Use..... 3

Safety Precautions 3

Dimensions 4

Installation Instructions 5

Specifications..... 9

Package Contents..... 9

Warranty Information 9

Rules and Conditions for Installation, Storage, Transportation, Sale (Distribution), and Disposal 10

Additional Information 10

Dear Customer,

Thank you for choosing our products.

We are pleased to offer you appliances and devices designed and manufactured to the highest standards of quality, functionality, and design. Before using the device, please read this manual carefully. It contains important information regarding your safety, as well as recommendations for the proper use and care of the product. Please keep this manual in a safe place and use it as a reference guide during future operation of the product.

Intended Use


This product is designed to hold a single monitor.

Safety Precautions

- This mount is intended for indoor use only.
- The mounting kit contains small parts that pose a choking hazard if swallowed. Keep these parts out of the reach of children.
- Use only the screws included with the mount for installation. Tighten them securely, but do not overtighten, as this may damage the components.
- Before assembling the mount and attaching a monitor to it, check the VESA standard, screen size, and maximum load rating of the product. Using the mount with a monitor that exceeds its rated weight capacity may cause the monitor to become unstable and fall.
- Assemble and install the product according to the «Installation Instructions» section. Improper assembly may result in damage or injury.



- Installation may require specialized tools, such as a power screwdriver or drill (not included). The use of personal protective equipment (not included) is recommended. Installation should be performed by a qualified professional.
- Check the mount's attachment points regularly (approximately once every 3 months) to ensure they remain secure.
- Do not modify the mount's design.
- This product is not intended for use by children or persons with reduced physical, sensory, or mental capabilities, unless they are supervised by a person responsible for their safety. Do not allow children to play with the product.
- This product is not intended for commercial use.

Dimensions












Note: Dimensions are given in millimeters.

Installation Instructions



 A (x1) B (x2) C (x1)	 W-A (x2) ST6.3x55  W-B (x2) Ø10x45  W-C (x2)	 M-A (x4) M4x12  M-B (x4) M5x12  M-C (x4) D5
---	---	--

Installation

1





2



3




too long too short



4

To properly balance the mount arm holding the monitor, adjust the spring tension using the hex key (included), as follows:



Firmly hold the mount arm level, as shown in the figure below. Ask someone for help if needed.



To avoid damaging the mount or the monitor, keep the arm level while adjusting the spring. Ask someone for help if needed.



If the arm drops on its own, turn the adjustment screw counterclockwise until the arm stays level.




If the arm keeps rising on its own, turn the adjustment screw clockwise until the arm stays level.







Do not overtighten the screw.

5



6

Note: Position the mount at the desired angle, then tighten the screws with the hex key as shown below, alternating between one screw and the other



Specifications

- Model: MB32-W01.
- Trademark: DEXP.
- Maximum load: 9 kg.
- Screen size: 17–32”.
- Distance from wall: 225–290 mm.
- Tilt angle: -45° to 90°.
- Swivel angle: 180.
- VESA standards: 75 × 75; 100 × 100.
- Scope of application: Domestic.

Package Contents

- Mount.
- Hardware kit.
- User manual.

Warranty Information

The manufacturer guarantees the product will function properly throughout the warranty period and be free from defects in materials and assembly. The warranty period commences on the date of purchase and applies to new products only. Warranty service includes free repair or replacement of defective parts that fail during the warranty period, provided the failure is not caused by consumer misuse and the product is operated in accordance with the user manual. Repairs or part replacements shall be performed at authorized service centers.

Warranty Period: 84 months

Service Life: 84 months

For the up-to-date list of authorized service centers, please visit:
<https://www.dns-shop.ru/service-center/>

Rules and Conditions for Installation, Storage, Transportation, Sale (Distribution), and Disposal

- The installation and mounting conditions for the product are described in the «Installation Instructions» section of this user manual.
- The product must be stored in its original packaging, on heated premises, both at the manufacturer's and at the consumer's sites. The ambient temperature should be between +5 °C and +40 °C, and the relative humidity should not exceed 80% (non-condensing). The storage area must be free from aggressive contaminants (e.g., acid or alkali vapors) that could cause corrosion.
- The product must be transported in a dry place.
- The product requires careful handling. Protect it from exposure to dust, dirt, impact, moisture, fire, and other hazards.
- Sale or distribution of the product must be carried out in accordance with local legislation.
- If product damage is detected, immediately contact an authorized service center or dispose of the product.
- Disposal of this product must be carried out in accordance with local waste recycling regulations. By ensuring proper disposal of this product, you help prevent potential harm to the environment and human health resulting from uncontrolled waste disposal and promote the sustainable reuse of material resources. For more detailed information on collection and disposal points for this product, please contact your local municipal authorities or household waste collection service.

Additional Information

Manufacturer: Cixi Pujuy Metal Products Co., Ltd.
Tianyan Village, Longshan Town, Industrial Development Zone,
Cixi City, Zhejiang Province, China.

Made in China.

Product specifications, information and appearance are subject to change without prior notice, for quality improvement of our products.

Production date (mm.yyyy): _____ v.1

